

# WELDING POSITIONERS

360° tilting angle

**D-DWP-L-500**



**UMETA**  
fast. safe. easy.



# WELDING POSITIONERS

360° tilting angle

## D-DWP-L-500

Place your workpiece in the most ideal position or rotate your workpiece at the desired speed. With this welding positioner you can tilt your product 360°.

The table of this machine has a spindle bore and T-slots for easy clamping of the workpieces or one of the Dumeta clamping means such as a chuck.

The machine enables you to significantly reduce production time and to improve work safety.

***It is also possible to adjust this manipulator according to customer requirements.***

### FEATURES

- Made in the Netherlands
- Compact and robust construction
- Stepless speed control
- Table with bore and 360 ° tilt
- Incl. remote control and foot pedal
- CE certified

### OPTIONAL

- Foot pedal for adjustable speed
- Radio remote control
- Height adjustable (electric or manual) 200 mm



# WELDING POSITIONERS

360° tilting angle

## D-DWP-L-500

### Technical specifications

Model	D-DWP-L-500	D-DWP-L-E-500
Max. load (kg)	500	500
Table (Ø mm)	690	690
Spindle bore (Ømm)	65	100
Rotation speed (rpm)	0,2 - 2	0,2 - 2
Tilting speed (rpm)	1	1
Lifting stroke - Tilting axis (mm)	850	Electrical adjustable 500 - 1250
Max. centre gravity (mm)	150	150
Max. torque table (Nm)	1500	1500
Max. torque tilting (Nm)	2000	2000
Power supply	400V	400V
Double foot pedal (start-stop/left-right)	Included	Included
Remote control (by wire)	Included	Included
Color	RAL7016/RAL6037	RAL7016/RAL6037



All information (technical data, product colours) is subject to printing-, type errors and modifications.