

DUMETA®

High quality positioning equipment

Coil turning system 90° / 180°

ROT PRO®



ROT PRO® 90

Technical specifications

Model	Capacities (t)	Dimensions (mm)		
		A	B	C
ROTPRO 90-3	3	1100	1100	1020
ROTPRO 90-5	5	1100	1100	1020
ROTPRO 90-10	10	1500	1500	1250
ROTPRO 90-15	15	1500	1500	1500
ROTPRO 90-20	20	1800	1800	1500

All information is subject to printing-, typing errors and modifications.

ROT PRO® 90

Safe and easy 90° turning of coils, pallets, plates and work pieces.

Turning

90°

Capacity

1t up to 65t
Taylor-made to your special requirements.

Turning time


Depending on model (approx. 20 sec.)

Control

- Remote control
- Control pendant
- Fixed panel




ROT PRO® 90



ROT PRO® 90

Options

- Varying models and dimensions on request
- Protections to avoid damaging the load
- Hoist points for locking the load
- Welding current connector



ROT PRO® 90

DUMETA®

High quality positioning equipment

Coil turning system 90° / 180°

ROT PRO®

ROT PRO® 180

ROT PRO® 180

Safe and easy 180° turning of coils, pallets, plates and work pieces.

Turning

180°

Capacity

1t up to 65t
Taylor-made to your special requirements.

Turning time

Depending on model (approx. 60 sec.)

Control

- Remote control
- Control pendant
- Fixed panel

ROT PRO® 180

ROT PRO® 180


Options

- Varying models and dimensions on request
- Protections to avoid damaging the load
- Hoist points for locking the load
- Welding current connector


Technical specifications

Model	Capacities (t)	Dimensions (mm)			
		A	B	C	L
ROTPRO 180-3	3	1100	1100	1020	700 (±350)
ROTPRO 180-5	5	1100	1100	1020	700 (±350)
ROTPRO 180-10	10	1500	1500	1250	1000 (±500)
ROTPRO 180-15	15	1500	1500	1500	1000 (±500)
ROTPRO 180-20	20	1800	1800	1500	1200 (±600)

All information is subject to printing-, typing errors and modifications.



ROT PRO® 180



ROT PRO® 180

DUMETA®

High quality positioning equipment

Coil turning system
90° / 180°

ROT PRO®

ROT PRO® 180

